

## SET-UP SHEET


RACE: \_\_\_\_\_  
 TRACK: *Bayswater*  
 NAME: *Paul*  
 CITY/COUNTRY: *Perth Western Australia*  
 DATE: \_\_\_\_\_

TEMPERATURE	AIR	0	TRACK	0
QUALIFYING POSITION	BEST LAP TIME	FINAL POSITION	RACE LENGTH	
TRACK CONDITION	SEC			MIN
<input type="checkbox"/> TECHNICAL	<input type="checkbox"/> CARPET	<input checked="" type="checkbox"/> ASPHALT		
<input checked="" type="checkbox"/> LOW	<input checked="" type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> FAST		
<input type="checkbox"/> HIGH				

FRONT		REAR	
GEAR DIFF			
<input checked="" type="checkbox"/> 500,000-4gear CST	<input checked="" type="checkbox"/> 600-4gear CST		
<input type="checkbox"/> ONE WAY	<input type="checkbox"/> SPOOL	<input type="checkbox"/> SOLID	
BALL DIFF		BALL DIFF	
<input type="checkbox"/> LOOSE	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT	<input type="checkbox"/> LOOSE
<input type="checkbox"/> MEDIUM	<input type="checkbox"/> TIGHT	<input type="checkbox"/> LOOSE	<input type="checkbox"/> MEDIUM
<input type="checkbox"/> TIGHT	MIDDLE SHAFT		
<input type="checkbox"/> FIXED	<input type="checkbox"/> ONE WAY		
PINION	19 T	SPUR GEAR	81 T
FINAL DRIVE RATIO	8.53	ROLLOUT	23.57 mm
MOTOR	SP V3 3.5T	TIMING	Middle
ROTOR	std	ARMATURE	std
ESC	GT2 Pro	BATTERIES	Orca 6500
BRUSHLESS	PROGRAM 428	PUNCH	INITIAL BRAKE
			AUTO BRAKE
BODY	Blitz XFR	WING	std

FRONT	SHOCK ABSORBERS		REAR
OIL	Serpent RCM		OIL
450 CST	<input type="radio"/> OPEN	<input type="radio"/> CLOSED	400 CST
SPRING			SPRING
orange			white
THICKNESS	ANTI-ROLL BAR		THICKNESS
1.4 mm			1.2 mm

Ride 36	TIRES	
64 mm	DIAMETER	64 mm
	INSERTS	
	ADDITIVE	



REMARKS Editable by Am0 at PetitRC dot com

*733 +1mm hex used.  
 one piece motor mount  
 RCM shocks , 25% rebound  
 servo speed slowed through 4PK  
 radio. steering end point set to  
 max throw, and dual rate turned  
 down to 78-74 dependant of  
 track grip.*

